


Appendix H

DFFE SCREENING REPORT



**SCREENING REPORT FOR AN ENVIRONMENTAL AUTHORIZATION AS
REQUIRED BY THE 2014 EIA REGULATIONS – PROPOSED SITE
ENVIRONMENTAL SENSITIVITY**

EIA Reference number: TBC

Project name: ABO Uvemvane Wind Energy Facility 1 (170MW), Mpumalanga & Gauteng

Project title: ABO Uvemvane Wind Energy Facility 1 (170MW), Mpumalanga & Gauteng

Date screening report generated: 19/08/2026 22:13:34

Applicant: ABO Uvemvane Wind Energy Facility 1

Compiler: WSP Group Africa (Pty) Ltd

Compiler signature:



Digitally signed by
Maharaj, Jashmika
(ZAJM05082)

Application Category: Utilities Infrastructure | Electricity | Generation | Renewable | Wind


Table of Contents

Proposed Project Location	3
Orientation map 1: General location	3
Map of proposed site and relevant area(s)	4
Cadastral details of the proposed site	4
Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area	6
Environmental Management Frameworks relevant to the application	7
Environmental screening results and assessment outcomes	7
Relevant development incentives, restrictions, exclusions or prohibitions	7
Proposed Development Area Environmental Sensitivity	8
Specialist assessments identified	8
Results of the environmental sensitivity of the proposed area	10
MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY	10
MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY	11
MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY	12
MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY	13
MAP OF RELATIVE AVIAN (WIND) THEME SENSITIVITY	14
MAP OF RELATIVE BATS (WIND) THEME SENSITIVITY	15
MAP OF RELATIVE CIVIL AVIATION (WIND) THEME SENSITIVITY	16
MAP OF RELATIVE DEFENCE (WIND) THEME SENSITIVITY	17
MAP OF RELATIVE FLICKER THEME SENSITIVITY	18
MAP OF RELATIVE LANDSCAPE (WIND) THEME SENSITIVITY	19
MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY	20
MAP OF RELATIVE NOISE THEME SENSITIVITY	21
MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY	22
MAP OF RELATIVE RFI (WIND) THEME SENSITIVITY	23
MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY	24
MAP OF RELATIVE VULTURE SPECIES THEME SENSITIVITY	25


Proposed Project Location

Orientation map 1: General location

General Orientation: ABO Uvemvane Wind Energy Facility 1 (170MW), Mpumalanga & Gauteng



Map of proposed site and relevant area(s)



Cadastral details of the proposed site

Property details:

No	Farm Name	Farm/ Erf No	Portion	Latitude	Longitude	Property Type
1	HOUTPOORT	392	0	26°32'51.93S	28°22'47.48E	Farm
2	DE HOEK	411	0	26°37'39.87S	28°21'57.62E	Farm
3	KLIPFONTEIN	450	0	26°42'51.21S	28°28'53.37E	Farm
4	TWEEFONTEIN	560	0	26°41'20.76S	28°30'7.01E	Farm
5	STEYNSKRAAL	399	0	26°37'18.75S	28°27'54.29E	Farm
6	ORION	413	0	26°38'42.3S	28°24'46.15E	Farm
7	LAGERSPOORT	406	0	26°36'54.64S	28°24'33.42E	Farm
8	MOOIWITPAN	693	0	26°40'33.18S	28°28'24.2E	Farm
9	MALANSKRAAL	407	0	26°41'7.49S	28°25'9.68E	Farm
10	DRIEFONTEIN	405	0	26°39'11.55S	28°28'2.69E	Farm
11	ZANDHOEK	451	0	26°41'46.64S	28°27'34.37E	Farm
12	MODDERFONTEIN	410	0	26°40'34.55S	28°22'22.58E	Farm
13	PANFONTEIN	452	0	26°44'17.37S	28°30'37.35E	Farm
14	BOTHAS SPRUIT	404	0	26°41'7.52S	28°26'54.95E	Farm
15	VLAKFONTEIN	448	0	26°44'27.21S	28°26'22.96E	Farm
16	WELTEVREDEN	449	0	26°42'35.06S	28°27'41.86E	Farm
17	SHILOH KLOOF	409	0	26°40'5.87S	28°26'57.46E	Farm
18	LAGERSPOORT	406	30	26°37'36.15S	28°23'14.85E	Farm Portion
19	MODDERFONTEIN	410	9	26°39'14.06S	28°23'22.69E	Farm Portion
20	MODDERFONTEIN	410	7	26°41'51.06S	28°22'37.72E	Farm Portion
21	DE HOEK	411	14	26°37'51.73S	28°22'50.02E	Farm Portion
22	DE HOEK	411	16	26°37'46.29S	28°22'56.09E	Farm Portion
23	DE HOEK	411	10	26°37'36.71S	28°22'53.71E	Farm Portion
24	LAGERSPOORT	406	41	26°37'35.47S	28°23'19.55E	Farm Portion
25	LAGERSPOORT	406	45	26°37'32.82S	28°24'10.22E	Farm Portion
26	DE HOEK	411	0	26°38'29.08S	28°22'10.46E	Farm Portion
27	DE HOEK	411	17	26°38'9.72S	28°22'42.76E	Farm Portion

28	DE HOEK	411	15	26°37'39.89S	28°23'6.74E	Farm Portion
29	VLAKFONTEIN	448	2	26°42'36.08S	28°26'36.45E	Farm Portion
30	SHILOH KLOOF	409	0	26°40'10.02S	28°26'56.56E	Farm Portion
31	MALANSKRAAL	407	22	26°41'55.95S	28°26'22.99E	Farm Portion
32	MALANSKRAAL	407	27	26°42'19.27S	28°24'33.77E	Farm Portion
33	MALANSKRAAL	407	26	26°41'31.36S	28°24'6.15E	Farm Portion
34	HOUTPOORT	392	66	26°35'29S	28°24'13.04E	Farm Portion
35	DE HOEK	411	4	26°37'26.13S	28°22'59.54E	Farm Portion
36	STEYNSKRAAL	399	25	26°38'12.51S	28°26'44.78E	Farm Portion
37	LAGERSPOORT	406	19	26°35'42.16S	28°24'37.48E	Farm Portion
38	LAGERSPOORT	406	17	26°36'33.57S	28°24'37.7E	Farm Portion
39	LAGERSPOORT	406	8	26°38'26.48S	28°24'0.84E	Farm Portion
40	DRIEFONTEIN	405	5	26°38'43.16S	28°29'0.04E	Farm Portion
41	VLAKFONTEIN	448	29	26°43'24.17S	28°24'49.64E	Farm Portion
42	MALANSKRAAL	407	8	26°40'39.54S	28°25'11.66E	Farm Portion
43	LAGERSPOORT	406	37	26°37'42.97S	28°23'19.32E	Farm Portion
44	LAGERSPOORT	406	40	26°36'9.46S	28°23'21.31E	Farm Portion
45	MODDERFONTEIN	410	2	26°39'10.11S	28°23'40.44E	Farm Portion
46	MODDERFONTEIN	410	10	26°40'26.39S	28°23'37.39E	Farm Portion
47	DE HOEK	411	13	26°37'34.85S	28°22'24.47E	Farm Portion
48	DE HOEK	411	11	26°37'35.59S	28°23'14.11E	Farm Portion
49	ORION	413	0	26°38'39.42S	28°24'44.97E	Farm Portion
50	LAGERSPOORT	406	35	26°37'34.04S	28°25'30.17E	Farm Portion
51	DE HOEK	411	1	26°36'24.38S	28°22'36.65E	Farm Portion
52	MOOIWITPAN	693	0	26°40'36.52S	28°28'24.13E	Farm Portion
53	VLAKFONTEIN	448	28	26°43'34.07S	28°24'53.64E	Farm Portion
54	MALANSKRAAL	407	16	26°41'34.58S	28°24'25.97E	Farm Portion
55	WELTEVREDEN	449	3	26°42'55.42S	28°27'17.18E	Farm Portion
56	MALANSKRAAL	407	5	26°41'55.85S	28°27'9.72E	Farm Portion
57	MALANSKRAAL	407	20	26°41'27.3S	28°26'56.56E	Farm Portion
58	MALANSKRAAL	407	15	26°40'41.08S	28°25'48.32E	Farm Portion
59	DRIEFONTEIN	405	1	26°38'52.61S	28°27'52.28E	Farm Portion
60	WELTEVREDEN	449	0	26°42'22.85S	28°27'18.19E	Farm Portion
61	BOTHAS SPRUIT	404	0	26°41'9.86S	28°26'53.01E	Farm Portion
62	MALANSKRAAL	407	28	26°41'43.38S	28°24'19.62E	Farm Portion
63	MALANSKRAAL	407	25	26°41'27.66S	28°23'43.94E	Farm Portion
64	LAGERSPOORT	406	32	26°38'25.05S	28°26'19.29E	Farm Portion
65	LAGERSPOORT	406	5	26°38'39.88S	28°25'42.6E	Farm Portion
66	LAGERSPOORT	406	43	26°37'60S	28°23'30.7E	Farm Portion
67	VLAKFONTEIN	448	21	26°44'26.18S	28°26'50.44E	Farm Portion
68	MALANSKRAAL	407	23	26°42'32.91S	28°24'17.85E	Farm Portion
69	WELTEVREDEN	449	2	26°42'57.98S	28°27'53.14E	Farm Portion
70	PANFONTEIN	452	30	26°43'46.03S	28°28'42.64E	Farm Portion
71	VLAKFONTEIN	448	19	26°43'54.94S	28°24'30.59E	Farm Portion
72	ZANDHOEK	451	0	26°41'48.96S	28°27'33.11E	Farm Portion
73	LAGERSPOORT	406	2	26°36'27.1S	28°23'46.99E	Farm Portion
74	MODDERFONTEIN	410	1	26°40'25.94S	28°23'16.78E	Farm Portion
75	MODDERFONTEIN	410	3	26°39'44.08S	28°22'45.91E	Farm Portion
76	DE HOEK	411	19	26°38'18.54S	28°22'52.66E	Farm Portion
77	LAGERSPOORT	406	36	26°38'1.89S	28°23'20.4E	Farm Portion
78	LAGERSPOORT	406	7	26°37'48.71S	28°24'39.05E	Farm Portion
79	LAGERSPOORT	406	11	26°37'33.74S	28°25'7.93E	Farm Portion
80	LAGERSPOORT	406	21	26°38'2.16S	28°23'16.54E	Farm Portion
81	DRIEFONTEIN	405	0	26°40'1.45S	28°27'40.66E	Farm Portion
82	MALANSKRAAL	407	17	26°40'35.88S	28°24'48.46E	Farm Portion
83	LAGERSPOORT	406	15	26°37'30.76S	28°25'49.38E	Farm Portion
84	LAGERSPOORT	406	39	26°37'36.74S	28°23'15.95E	Farm Portion
85	VLAKFONTEIN	448	20	26°43'18.2S	28°25'23.73E	Farm Portion
86	MALANSKRAAL	407	18	26°42'22.84S	28°24'25.52E	Farm Portion
87	MALANSKRAAL	407	3	26°41'40.56S	28°25'25.4E	Farm Portion

88	WELTEVREDEN	449	1	26°42'20.99S	28°27'49.1E	Farm Portion
89	TWEEFONTEIN	560	7	26°41'53.65S	28°28'29.16E	Farm Portion
90	MALANSKRAAL	407	6	26°42'8.7S	28°23'39.3E	Farm Portion
91	MALANSKRAAL	407	19	26°42'5.41S	28°25'31.95E	Farm Portion
92	MALANSKRAAL	407	13	26°41'50.33S	28°26'52.65E	Farm Portion
93	MALANSKRAAL	407	9	26°39'47.16S	28°25'20.58E	Farm Portion
94	MALANSKRAAL	407	4	26°41'20.54S	28°25'5.15E	Farm Portion
95	DRIEFONTEIN	405	7	26°38'54.16S	28°26'52.9E	Farm Portion
96	KLIPFONTEIN	450	2	26°42'28.18S	28°28'26.71E	Farm Portion
97	KLIPFONTEIN	450	0	26°43'7.23S	28°28'52.52E	Farm Portion
98	VLAKFONTEIN	448	4	26°43'21.95S	28°26'49.68E	Farm Portion
99	MALANSKRAAL	407	24	26°41'14.73S	28°23'47.32E	Farm Portion

Development footprint¹ vertices:


No development footprint(s) specified.

Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area

No	EIA Reference No	Classification	Status of application	Distance from proposed area (km)
1	14/12/16/3/3/2/2599	Solar PV	Approved	28.5
2	12/12/20/2060	Solar PV	Approved	3.9

¹ “development footprint”, means the area within the site on which the development will take place and includes all ancillary developments for example roads, power lines, boundary walls, paving etc. which require vegetation clearance or which will be disturbed and for which the application has been submitted.

Environmental Management Frameworks relevant to the application



Environmental Management Framework	LINK
Gauteng EMF	https://screening.environment.gov.za/ScreeningDownloads/EMF/GPEMF_2021_Gazette_and_summary.pdf

Environmental screening results and assessment outcomes

The following sections contain a summary of any development incentives, restrictions, exclusions or prohibitions that apply to the proposed development site as well as the most environmental sensitive features on the site based on the site sensitivity screening results for the application classification that was selected. The application classification selected for this report is:

Utilities Infrastructure | Electricity | Generation | Renewable | Wind.

Relevant development incentives, restrictions, exclusions or prohibitions

The following development incentives, restrictions, exclusions or prohibitions and their implications that apply to this site are indicated below.

Incentive, restriction or prohibition	Implication
Air Quality-Vaal Triangle Airshed Priority Area	https://screening.environment.gov.za/ScreeningDownloads/Developmen

	tZones/Final VTAPA AQMP 20090408 -15 April 2009.pdf
Air Quality-Highveld Priority Area	https://screening.environment.gov.za/ScreeningDownloads/DevelopmentZones/HIGHVELD_PRIORITY_AREA_AQMP.pdf
Strategic Gas Pipeline Corridors-Phase 3: Richards Bay to Gauteng	https://screening.environment.gov.za/ScreeningDownloads/DevelopmentZones/Combined_GAS.pdf
Gauteng EMF-Urban development zone 1	https://screening.environment.gov.za/ScreeningDownloads/DevelopmentZones/Zone1_2021.pdf

Proposed Development Area Environmental Sensitivity

The following summary of the development site environmental sensitivities is identified. Only the highest environmental sensitivity is indicated. The footprint environmental sensitivities for the proposed development footprint as identified, are indicative only and must be verified on site by a suitably qualified person before the specialist assessments identified below can be confirmed.

Theme	Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Agriculture Theme	X			
Animal Species Theme		X		
Aquatic Biodiversity Theme	X			
Archaeological and Cultural Heritage Theme				X
Avian (Wind) Theme				X
Bats (Wind) Theme		X		
Civil Aviation (Wind) Theme		X		
Defence (Wind) Theme			X	
Flicker Theme	X			
Landscape (Wind) Theme	X			
Paleontology Theme	X			
Noise Theme	X			
Plant Species Theme			X	
RFI (Wind) Theme	X			
Terrestrial Biodiversity Theme	X			
Vulture Species Theme			X	

Specialist assessments identified

Based on the selected classification, and the known impacts associated with the proposed development, the following list of specialist assessments have been identified for inclusion in the assessment report. It is the responsibility of the EAP to confirm this list and to motivate in the assessment report, the reason for not including any of the identified specialist study including the provision of photographic evidence of the site situation.


No	Specialist assessment	Assessment Protocol
1	Agricultural Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_WindAndSolar_Agriculture_Assessment_Protocols.pdf
2	Landscape/Visual Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf

3	Archaeological and Cultural Heritage Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/GuidanceforHIA.pdf
4	Palaeontology Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/GuidanceforPIA.pdf
5	Terrestrial Biodiversity Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted Terrestrial Biodiversity Assessment Protocols.pdf
6	Aquatic Biodiversity Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted Aquatic Biodiversity Assessment Protocols.pdf
7	Avian Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted Avifauna Assessment Protocols.pdf
8	Civil Aviation Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted Civil Aviation Installations Assessment Protocols.pdf
9	Defense Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted Defence Installations Assessment Protocols.pdf
10	RFI Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted General Requirement Assessment Protocols.pdf
11	Noise Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted Noise Impacts Assessment Protocol.pdf
12	Flicker Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted General Requirement Assessment Protocols.pdf
13	Traffic Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted General Requirement Assessment Protocols.pdf
14	Geotechnical Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted General Requirement Assessment Protocols.pdf
15	Socio-Economic Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted General Requirement Assessment Protocols.pdf
16	Plant Species Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted Plant Species Assessment Protocols.pdf
17	Animal Species Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted Animal Species Assessment Protocols.pdf

Results of the environmental sensitivity of the proposed area.

The following section represents the results of the screening for environmental sensitivity of the proposed site for relevant environmental themes associated with the project classification. It is the duty of the EAP to ensure that the environmental themes provided by the screening tool are comprehensive and complete for the project. Refer to the disclaimer.

MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
High	Old_Fields
High	Rainfed Annual Crop Cultivation / Planted Pastures
High	10. Moderate-High
High	09. Moderate-High
High	08. Moderate
Low	05. Low
Low	03. Low-Very low
Low	04. Low-Very low
Low	02. Very low
Medium	07. Low-Moderate

Medium	06. Low-Moderate
Very High	Pivot_Irrigation
Very High	Suikerbosrant PAA
Very High	Grootvlei-Balfour PAA

MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY



Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at eiadatarequests@sanbi.org.za listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.


Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	X		

Sensitivity Features:

Sensitivity	Feature(s)
High	Aves-Circus ranivorus
High	Aves-Sagittarius serpentarius
High	Aves-Mycteria ibis
Low	Subject to confirmation
Medium	Aves-Circus ranivorus
Medium	Aves-Hydroprogne caspia
Medium	Aves-Sagittarius serpentarius
Medium	Aves-Eupodotis senegalensis

Medium	Insecta-Chrysoritis aureus
Medium	Insecta-Lepidochrysops procera
Medium	Insecta-Orachrysops mijburghi
Medium	Mammalia-Crocidura maquassiensis
Medium	Mammalia-Hydrictis maculicollis
Medium	Mammalia-Ourebia ourebi ourebi

MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
Low	Low Sensitivity
Very High	CBA: Wetlands
Very High	ESA: Wetlands
Very High	Wetlands_Channelled valley-bottom
Very High	Wetlands_Depression
Very High	Wetlands_Floodplain
Very High	Wetlands_Seep
Very High	Wetlands_Unchannelled valley-bottom
Very High	Rivers

MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			X

Sensitivity Features:

Sensitivity	Feature(s)
Low	Low Sensitivity

MAP OF RELATIVE AVIAN (WIND) THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			X

Sensitivity Features:

Sensitivity	Feature(s)
Low	Area Outside Sensitivities

MAP OF RELATIVE BATS (WIND) THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	X		

Sensitivity Features:

Sensitivity	Feature(s)
High	Within 500 m of a river
High	Wetland
High	Within 500 m of a wetland
Medium	Croplands

MAP OF RELATIVE CIVIL AVIATION (WIND) THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	X		

Sensitivity Features:

Sensitivity	Feature(s)
High	Within 15 km of a civil aviation radar
High	Within 8 km of other civil aviation aerodrome
Medium	Between 15 and 35 km from a civil aviation radar
Medium	Between 8 and 15 km of other civil aviation aerodrome

MAP OF RELATIVE DEFENCE (WIND) THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		X	

Sensitivity Features:

Sensitivity	Feature(s)
Medium	Defence Site

MAP OF RELATIVE FLICKER THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
Low	Area of low sensitivity
Very High	Potential temporarily or permanently inhabited residence

MAP OF RELATIVE LANDSCAPE (WIND) THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
High	Between 2 and 4 km of a town or village
High	Slope between 1:4 and 1:10
High	Between 3 and 5 km of a nature reserve, botanical garden or other protected area
High	Within 500 m of a river
Low	Slope less than 1:10
Medium	Between 4 and 6 km of a town or village
Medium	Between 5 and 10 km of a nature reserve, botanical garden or other protected area
Medium	Within 1000 m of a wetland
Very High	Mountain tops and high ridges
Very High	Slope more than 1:4
Very High	Within 3 km of a nature reserve, botanical garden or other protected area
Very High	Within 250 m of a river

MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
Low	Features with a Low paleontological sensitivity
Medium	Features with a Medium paleontological sensitivity
Very High	Features with a Very High paleontological sensitivity

MAP OF RELATIVE NOISE THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
Low	Area of low sensitivity
Very High	Potential temporarily or permanently inhabited residence

MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY




Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at eiadatarequests@sanbi.org.za listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		X	

Sensitivity Features:

Sensitivity	Feature(s)
Low	Low Sensitivity
Medium	Khadia beswickii
Medium	Delosperma macellum
Medium	Sensitive species 196
Medium	Cineraria longipes

MAP OF RELATIVE RFI (WIND) THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
High	Within 1 km of a telecommunication facility;None;More than 60 km from a Weather Radar installation
Low	Low sensitivity for telecommunications;None;More than 60 km from a Weather Radar installation
Very High	Within 5 km of a Sentech High Power Terrestrial Broadcasting Facility;None;More than 60 km from a Weather Radar installation

MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY




Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
X			

Sensitivity Features:

Sensitivity	Feature(s)
Low	Low Sensitivity
Very High	CBA 1
Very High	CBA 2
Very High	ESA 1
Very High	ESA 2
Very High	ESA Local corridor
Very High	National Protected Area Expansion Strategy (NPAES)
Very High	EN_Tsakane Clay Grassland
Very High	VU_Soweto Highveld Grassland

MAP OF RELATIVE VULTURE SPECIES THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		X	

Sensitivity Features:

Sensitivity	Feature(s)
Low	affecting an area <1% of the population
Medium	affecting an area between 5% - 10% of the population